CE

Collier Group
Goathill Quarry, Easter Bucklyvie, Cowdenbeath, KY4 8ES

15

EN 771-3:2011

Aggregate Concrete Masonry Unit
COLLBLOCK

BS EN 771-3:2011
COLLBLOCK 7.3N Spacer Bricks

Category: II 215 x 100 x 65mm aggregate concrete masonry unit

Dimensions:		215 x 100 x 65mm
Dimensional tolerances:		
	Category:	D1
	Flatness:	NPD
	Parallelism:	NPD
Configuration:		Solid
Compressive Strength:	Mean:	7.3N/mm$_2$
Dimensional stability- moisture movement:		<0.55
Shear bond strength:	Fixed value	0.15N/mm$_2$
Flexural bond strength:		NPD
Reaction to fire:		Euroclass A1
Water absorbtion:		NPD
Water vapour permeability:	EN1745:	5/15µ
Direct airborne sound insulation:		
	Gross dry density:	1900kg/m$_3$
	Configuration:	As above
Thermal conductivity:		1.00W/mK int 1.15W/mK ext
Durability against freeze thaw:		NPD
Dangerous substances:		See note

Note:
Information on dangerous substances will only be given when and where required and in the appropriate form. See Annex ZA3 of EN 771-3.